

Table of Contents

1. Introduction and Executive Summary	1
2. SUV-100 UV Spectroradiometer Instrumentation Description	3
2.1. Automated Spectroradiometer Section	3
2.2. Operational Requirements	5
2.2.1. Installation	5
2.2.2. Calibration	6
2.3. Specifications	7
2.4. Auxiliary Sensors	8
2.4.1. TSI (UV-A Band Sensor)	8
2.4.2. Eppley Sensors	9
2.5. Software	10
3. Normal System Operation	11
3.1. Scan Schedule	11
3.2. Scan Descriptions with Examples	12
3.2.1. Data Scan	12
3.2.2. Response Scan	15
3.2.3. Wavelength Scan	15
3.2.4. Absolute Scan	17
3.2.5. External Wavelength Scan	17
3.3. Calibration and Data Processing Protocols	18
3.3.1. Wavelength Calibration and Correction	18
3.3.1.1. Wavelength Calibration and Correction with Internal Mercury Scans Implemented for volume 1-6 Data	19
3.3.1.2. Wavelength Calibration and Correction by the Fraunhofer- Correlation Method Implemented for Volume 7 Data	25
3.3.2. Irradiance Calibration	30
3.3.2.1. Interpolation of Values in Certificates of 200-Watt Standards	31
3.3.2.2. Calibration of the Response Lamp	33
3.3.2.3. Determination of the System Responsivity and Calibration of Solar Data	34
3.3.2.4. Comparison of Standards of Spectral Irradiance	34
3.3.2.5. Calibration of Spare Lamps	37
3.3.3. Biological Dose Calculations	38
3.3.4. Sun Angles	40
4. Examples of Network Data	41
4.1. Noon-time UV Levels in Contrast to Total Column Ozone Data	41
4.1.1. McMurdo Station	41
4.1.2. Palmer Station	45
4.1.3. South Pole Station	48
4.1.4. Ushuaia, Argentina	51
4.1.5. Barrow, Alaska	54
4.1.6. San Diego, California	57

4.2. Daily Doses.....	61
4.2.1. McMurdo Station.....	61
4.2.2. Palmer Station	64
4.2.3. South Pole Station	66
4.2.4. Ushuaia, Argentina	69
4.2.5. Barrow, Alaska	71
4.2.6. San Diego, California	74
4.3. Differences Between Sites	76
4.4. UV Irradiance Trends	79
4.5. Factors Affecting UV Radiation	80
4.6. Amplification of UV Radiation Correlated with Ozone Depletion	83
5. Quality Control Summary.....	85
5.1. Advancements.....	87
5.2. McMurdo Station, Antarctica	91
5.2.1. Weather Observations.....	94
5.2.2. Ozone Observations.....	94
5.2.3. McMurdo Station 1/11/97-1/18/98.....	95
5.2.3.1. Stability in the Wavelength Domain.....	95
5.2.3.2. Responsivity Stability	98
5.2.3.3. Lamp Intercomparison.....	100
5.2.3.4. Missing Data.....	102
5.3. Palmer Station, Antarctica	103
5.3.1. Weather Observations.....	105
5.3.2. Ozone Observations.....	106
5.3.3. Palmer Station 4/10/97-4/5/98.....	107
5.3.3.1. Stability in the Wavelength Domain.....	107
5.3.3.2. Responsivity Stability	111
5.3.3.3. Lamp Intercomparison and Calibration Events	115
5.3.3.4. Missing Data.....	117
5.4. Amundsen-Scott South Pole Station	119
5.4.1. Weather Observations.....	120
5.4.2. Ozone Observations.....	120
5.4.3. South Pole 1/16/97-1/8/98.....	122
5.4.3.1. South Pole Volume 7 Offset Problem.....	122
5.4.3.2. Stability in the Wavelength Domain.....	123
5.4.3.3. Responsivity Stability	127
5.4.3.4. Lamp Intercomparison.....	130
5.4.3.5. Azimuth Dependency of Volume 7 Data	133
5.4.3.6. Catalog of Missing Data	135
5.5. Ushuaia, Argentina	137
5.5.1. Weather Observations.....	139
5.5.2. Ozone Observations.....	139
5.5.3. Ushuaia 3/25/97-4/19/98	141
5.5.3.1. Stability in the Wavelength Domain.....	141
5.5.3.2. Responsivity Stability	144
5.5.3.3. Lamp Intercomparison and Calibration Events.....	150
5.5.3.4. Missing Data.....	152

5.6. Barrow, Alaska USA	155
5.6.1. Weather Observations	156
5.6.2. Ozone Observations	157
5.6.3. Barrow 10/26/95-10/21/97	158
5.6.3.1. Stability in the Wavelength Domain.....	158
5.6.3.2. Responsivity Stability.....	161
5.6.3.3. Lamp Intercomparison.....	163
5.6.3.4. Missing Data	164
5.7. San Diego, California USA.....	167
5.7.1. Weather Observations	168
5.7.2. Ozone Observations	168
5.7.3. San Diego 9/2/97-10/2/98	170
5.7.3.1. Stability in the Wavelength Domain.....	170
5.7.3.2. Responsivity Stability.....	174
5.7.3.3. Lamp Intercomparison.....	181
5.7.3.4. Missing Data	186
6. Errata and Data Quality Issues	187
7. Acknowledgments.....	191
Appendices	193
A1. References	195
A2. CD-ROM Format.....	205
A2.1. Volume 1.0 CD-ROM: 1990 Season.....	206
A2.2. Volume 2.0 CD-ROM: 1991 Season.....	206
A2.3. Volume 3.0 CD-ROM: 1992 Season.....	206
A2.4. Volume 4.0 CD-ROM: 1993 Season.....	206
A2.5. Volume 5.0 CD-ROM: 1994-1995 Season.....	207
A2.6. Volume 6.0.a and 6.0.b CD-ROM: 1995-1997 Season	207
A2.7. Volume 7.0a and 7.0b CD-ROM: 1997-1998 Season	207
A2.8. Directory Structure	208
A3. Database Organization.....	209
A3.1. Database 1: Detailed Scan Parameters with AXSS Observations.....	209
A3.2. Database 2: Extracted Wavelength Data	210
A3.3. Database 3: Spectral Integrals and Dose Weightings	211
A3.4. Database 4: General Interest (short form)	213
A3.5. Database 5: Quality Control	213
A3.6. Glossary of Database Notation.....	214
A4. Full Resolution Data Format.....	217
A4.1. Format 1A	217
A4.2. Format 1B.....	218
A4.3. Format 1C (Volumes 2 and 3 CD-ROM)	218
A4.4. Format 1D (Volumes 4, 5 and 6 CD-ROM)	218
A4.5. Format 2A (Volume 6 and 7 CD-ROMs)	219
A5. Code Fragments for Dose Weightings and Integrations	221
A5.1. Spectral (Non-weighted) Integrals.....	221

A5.2.	Dose Weightings	222
A5.2.1.	Erythema Dose1.....	223
A5.2.2.	Erythema Dose2.....	223
A5.2.3.	Erythema Dose3.....	224
A5.2.4.	Setlow Dose	224
A5.2.5.	Hunter Dose	225
A5.2.6.	Caldwell Dose.....	225
A5.2.7.	Weighted TSI (Dose4	226
A6.	Ozone Data	227
A6.1.	TOMS Data	227
A6.1.1.	The TOMS Ozone Measurement	227
A6.1.2.	TOMS Data Format	228
A6.1.3.	Contacts for NASA TOMS Data	229
A7.	Weather Data	231